

表3 エビデンスレベル b以上の論文に採用された評価法出現度数(2004年)

(2件以上の論文に採用された評価法を示す)

評価法	出現頻度
Functional independence measure, FIM	28
Ashworth scale-modified, MAS	10
Fugl-Meyer assessment	9
Glasgow coma scale, GCS	8
Mini-mental state examination, MMSE	8
Barthel index, BI, パーセル指数	7
Berg balance scale, BBS	6
Ashworth scale	5
Medical outcomes study short form-36 health survey, SF-36	5
Sensory organization test, SOT	5
timed up and go test	5
Hospital anxiety and depression Scale	4
Nottingham health profile, NHP	4
6-minute walk test, 6MWT	3
American Spinal Injury Association impairment scale, ASIA impairment scale	3
Beck depression inventory, BDI	3
Brunnstrom stage	3
Glasgow outcome scale, GOS	3
Gross motor function measure, GMFM	3
Manual muscle testing, MMT, 徒手筋力検査	3
Rivermead mobility index	3
Wheelchair skills test, WST	3
Action research arm test	2
Borg scale	2
Brain injury screening questionnaire, BIQS	2
Canadian occupational performance measure	2
Center for epidemiological studies-depression scale, CES-D	2
Child health questionnaire, CHQ	2
Coping strategies questionnaire, CSQ	2
Craig handicap assessment and reporting technique, CHART	2
Expanded disability status scale, EDSS	2
Frankel classification, Frankel分類	2
Functional Ambulation Categories	2
Geriatric depression scale, GDS	2
Hayling and Brixton test	2
Hoehn-Yahr stage/score	2
Impairment sum score, ISS	2
Instrumental activity measure, IAM	2
Living life after TBI, LLATBI	2
Modified rankin scale, MRS	2
Motor assessment scale, MAS	2
Multidimensional scale of perceived social support, MSPSS	2
Multidimensional Fatigue Inventory	2
National Institutes of Health stroke scale, NIHSS	2
Pressure score status tool, PSST	2
Rancho Los Amigos Cognitive Function Scale, RLAS	2
Rivermead motor assessment	2
Satisfaction with life scale, SWLS	2
Structured clinical interview, SCID	2
Wechsler Adult Intelligence Scale-Revised, WAIS-R, ウェクスラー成人知能検査	2
Wechsler Memory Scale-Revised, WMS-R, ウェクスラー記憶検査	2