

表8 1998年以来の全データでの使用頻度  
(1998～2000年, 2003～2006年)

評価法	論文数
Functional independence measure, FIM	379
Barthel index, BI, バーセル指数	153
Mini-mental state examination, MMSE	118
American Spinal Injury Association impairment scale, ASIA impairment scale	117
Medical outcomes study short form-36 health survey, SF-36	113
Ashworth scale-modified, MAS	78
Glasgow coma scale, GCS	77
Brunnstrom stage	61
Fugl-Meyer assessment	54
Ashworth scale	48
Wechsler Adult Intelligence Scale-Revised, WAIS-R, ウェクスラー成人知能検査	46
Manual muscle testing, MMT, 徒手筋力検査	45
Berg balance scale (BBS)	45
Beck depression inventory, BDI	41
Sickness impact profile, SIP	38
Timed up & go (TUG) test	36
Disability rating scale (DRS)	32
6-minute walking test (6MWT)	31
Trail making test, TMT	30
International classification of diseases, 9th revision, ICD-9	26
長谷川式簡易痴呆スケール, HDS	25
Community integration questionnaire, CIQ	25
Stroke impairment assessment set, SIAS	25
Hospital anxiety and depression scale, HADS	23
Geriatric depression scale, GDS	21
Glasgow outcome scale, GOS	20
Nottingham health profile, NHP	20
Roland and Morris disability questionnaire, RMDQ	20