

Glasgow outcome scale, GOS	3	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heel-rise test	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hoehn-Yahr stage/score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Hugh-Jones exercise test/grade	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
International classification of diseases, 9th revision, ICD-10	10	10	0	5	0	0	0	0	0	1	1	0	1	1	0	0	0	0	1
International classification of impairments, disabilities and handicaps, ICF	3	3	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1
International continence society, ICS, 国際禁制学会分類, 下部尿路機能分類	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Japan coma scale, JCS	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Katz ADL index	5	5	0	3	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0
Kohs立方体検査	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kurtzke Expanded Disability Status Scale, EDSS	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Life satisfaction questionnaire, LSQ	1	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Line bisection test, 線分二等分テスト	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Manual muscle testing, MMT, 徒手筋力検査	11	7	4	2	0	1	0	0	5	0	2	0	0	1	1	0	0	2	2
McGill pain questionnaire, MPQ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Medical outcomes study short form-36 health survey, SF-36	10	8	2	2	1	0	1	1	0	0	0	3	0	0	0	0	1	0	1
Mini-mental state examination, MMS	13	9	4	5	1	0	1	1	1	0	0	0	0	0	0	0	4	0	0
Minnesota multiphasic personality inventory	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Motricity index, MI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Multidimensional pain inventory, MPI	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
National Institutes of Health stroke scale, NIHSS	2	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nottingham health profile, NHP	3	3	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0
Paced auditory serial addition test, PASAT	2	2	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Pain disability Index, PDI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Profile of mood states, POMS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Psychological general well-being index, PGWB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Psychosocial adjustment to illness scale-self report version, PAIS-SR	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Quality of well being index, QWB	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rancho Los Amigos Cognitive Function Scale, RLAS	2	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Raven colored matrices	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reintegration to normal living index, RNL	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Resident assessment instrument, RAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rey figure copy, Rey複雑図形検査	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rivermead motor assessment	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Roland and Morris disability questionnaire, RMDQ	7	7	0	0	0	0	0	0	0	0	0	7	0	0	0	0	0	0	0

Satisfaction with life scale, SWLS	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	
Screening test of ADL for children, ADLC-s, 小児の日常生活動作能力評価表	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Self rating depression scale, SDS, Zung	1	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	
Sickness impact profile, SIP	3	2	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	
Spasm frequency scale	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Spielberger state-trait anxiety inventory, STAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Stroke impairment assessment set, SIAS	4	2	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Trail making test, TMT	5	3	2	1	4	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
Unified Parkinson's disease rating scale, UPDRS	2	2	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	
Vineland adaptive behavior scales	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Wechsler Adult Intelligence Scale-Revised, WAIS-R, ウェクスラー成人知能検査	12	6	6	4	5	0	2	1	1	0	0	0	0	0	0	0	0	0	0	
Wechsler Memory Scale-Revised, WMS-R, ウェクスラー記憶検査	4	2	2	1	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Western aphasia battery, WAB, WAB失語症検査	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Wisconsin card sorting test, WCST	2	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Zancolli classification, Zancolli分類	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
長谷川式簡易痴呆スケール, HDS	2	0	2	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	
標準失語症検査, SLTA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
三宅式記憶力検査	2	0	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
障害老人の日常生活自立度判定基準(厚生省/寝たきり度)	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
合計	362	302	60	116	92	12	12	47	24	0	11	4	15	5	6	1	2	17	2	11

表1 2003年度分の評価法出現度数
「リハビリテーション関連雑誌における評価法動向調査-2-の表1」との比較
(1論文での1評価法が複数疾患を対象とする場合あり)
(網掛は5件以上の論文で採用された評価法)